

**Borough of Chalfont**  
**Road Occupancy & Street Opening Permit Application**  
 40 N. Main Street, 18914 215-822-7295

Name of Applicant: \_\_\_\_\_ Date: \_\_\_\_\_  
 Address of Applicant: \_\_\_\_\_  
 Daytime Phone: \_\_\_\_\_ 24 Hour/Emergency Number: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Address/Location of Proposed Work: \_\_\_\_\_  
 Borough Street  State Road  (Permit Required from PennDOT)  
 Type of Work to be Performed ( Submit Sketch ) : \_\_\_\_\_  
 Dimensions of Proposed Work: \_\_\_\_\_  
 Date Work is to Begin: \_\_\_\_\_ Completion Date: \_\_\_\_\_  
 (Ten Days Maximum to Complete Work)  
 Call PA One-Call (811) Three Working Days Before Digging PA One-Call Serial Number: \_\_\_\_\_  
**Contractors performing work must register with the Borough.** An application is attached and must be completed and submitted at the time of this application, along with a certificate of insurance naming Chalfont Borough as additional insured. There is a \$50 Contractor Registration Fee.  
 Signature of Applicant: \_\_\_\_\_


Permit Application Fees: (non refundable)	Received	By	Date
A. Road Openings..... \$100 (plus \$1.00 additional per lineal foot on openings over 20 feet. )	<input type="checkbox"/>	_____	_____
B. New or Altered Driveways..... \$100	<input type="checkbox"/>	_____	_____
C. Roadway Frontage/Storm Drain Improvement/Grading..... \$250	<input type="checkbox"/>	_____	_____
D. Utility Pole Replacement..... \$ 10/pole \$30 minimum	<input type="checkbox"/>	_____	_____
<u>Escrow Account</u> shall be established on a case by case basis, but shall not be less than \$1000.00. (Refundable after 18 months with satisfactory final inspection or written cancellation of the project.)	<input type="checkbox"/>	_____	_____
<u>Maintenance Bond</u> to be established at the time of substantial completion of project. (Refundable after 18 months with satisfactory final inspection.)	<input type="checkbox"/>	_____	_____

**25% INCREASE OF FEES IF WORK COMMENCES WITHOUT PERMIT**

- ◆ THIS PERMIT IS VALID FOR 180 DAYS
- ◆ BOROUGH OF CHALFONT MUST MAKE INSPECTIONS DURING WORK IN PROGRESS AND AFTER WORK IS COMPLETED. CALL 215-822-7295
- ◆ STREET MUST BE RESTORED TO BOROUGH SPECIFICATIONS. (Details attached)
- ◆ TRAFFIC CONTROL MUST BE MAINTAINED AT ALL TIMES.
- ◆ NO ROAD CAN BE CLOSED OR EXCAVATION LEFT OPEN WITHOUT BOROUGH PERMISSION. ADEQUATE WARNING SIGNS, BARRICADES, PLATES, OR OTHER DEVICES MUST BE PLACED TO PROVIDE SAFE VEHICLE AND PEDESTRIAN TRAVEL.


Final Inspection Date: \_\_\_\_\_ By: \_\_\_\_\_

# CHALFONT BOROUGH, BUCKS COUNTY, PA




- NOTE:
1. NON-SLIP GROOM FINISH SHALL BE PROVIDED ON ALL PEDESTRIAN PAVEMENTS. ALL EXTERIOR CONCRETE SHALL BE AIR ENTRAINED AND HAVE A MINIMUM COMPRESSIVE STRESS OF 3000 PSI (CLASS A). SIDEWALK WIDTH = 4 FEET.
  2. AT DRIVEWAY CROSSINGS, SIDEWALK SHALL BE A MINIMUM 6" THICK AND REINFORCED WITH LAYER OF WELDED WIRE FABRIC.
  3. SLOPE SIDEWALK FOR DRAINAGE - 1/4" / FT. MINIMUM.


CONCRETE SIDEWALK DETAIL  
N.T.S.




CURB REPLACEMENT DETAIL  
N.T.S.



ELEVATION




TYPICAL CROSS SECTION




DETAIL A  
CONTRACTION JOINT

PLAIN CEMENT CONCRETE CURB  
N.T.S.



TYPICAL CONCRETE DRIVEWAY APRON  
N.T.S.



DEPRESSED CURB  
N.T.S.

NOTES:

- 1) WIDTH TO MATCH EXISTING APRON
- 2) SLOPE TO MATCH EXISTING DRIVEWAY AND NEW CURB. ELEVATIONS AS DETERMINED BY THE ENGINEER
- 3) RESTORE ALL PAVED DRIVEWAYS WITH SAME MATERIALS REQUIRED FOR CURB DRIVEWAY DEPRESSION REPLACEMENTS.

C:/ACAD/TOWNSHIP/CHALFONT/A300-51/CURB\_REPLACE.DWG\*1NS

March 2002




CKS Engineers, Inc.

88 South Main Street, Doylestown, PA 18901  
(215) 340-0800


# CHALFONT BOROUGH, BUCKS COUNTY, PA UTILITY TRENCH RESTORATION – GENERAL NOTES

## GENERAL NOTES:

1. THE CONTRACTOR SHALL CONTACT ALL UTILITIES OR PRIVATE CONCERNS, IN COMPLIANCE WITH THE REQUIREMENTS OF P.L. 852, NO. 287, DECEMBER 10, 1974 AS AMENDED ON DECEMBER 19, 1996 BY ACT NO. 187, 72 HOURS PRIOR TO ANY EXCAVATION BY CALLING 1-800-242-1776.
2. UTILITY TRENCHES WITHIN STATE OR COUNTY ROADWAYS SHALL BE RESTORED IN ACCORDANCE WITH THE REQUIREMENTS OF THE APPLICABLE GOVERNING AGENCY.
3. THE CONTRACTOR SHALL CONTACT THE BOROUGH PUBLIC WORKS DIRECTOR (215) 997-2640 A MINIMUM OF 48 HOURS IN ADVANCE OF ANY WORK BEING PERFORMED WITHIN THE ROADWAY RIGHT-OF-WAY.
4. INITIAL (TEMPORARY) TRENCH RESTORATION SHALL BE PERFORMED IN ACCORDANCE WITH THE ABOVE DETAIL IMMEDIATELY AFTER THE UTILITY IS INSTALLED. FINAL (PERMANENT) TRENCH RESTORATION SHALL BE PERFORMED IN ACCORDANCE WITH THE ABOVE DETAIL, 90 DAYS (MINIMUM) TO 120 DAYS (MAXIMUM) AFTER TEMPORARY TRENCH RESTORATION IS PERFORMED.
5. ALL STREET ROADWAY PAVEMENT SHALL BE CUT BY A MECHANICAL SAW OR PAVING CUTTER.
6. ANY ITEMS (I.E. CURB, PAVED SURFACES OUTSIDE THE LIMIT OF WORK, ETC.) DAMAGED AS A RESULT OF THE CONTRACTOR'S OPERATIONS SHALL BE REPLACED IN KIND, AT THE CONTRACTOR'S EXPENSE TO THE SATISFACTION OF THE BOROUGH.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE MAINTENANCE OF TEMPORARY PAVEMENT UNTIL IT IS REPLACED WITH PERMANENT PAVEMENT.
8. BITUMINOUS MATERIAL FOR BASE AND SURFACE COURSES OF PERMANENT PAVEMENT REPLACEMENT SHALL NOT BE PLACED WHEN THE AIR TEMPERATURE IS 40° F OR LOWER, NOR WHEN THE TEMPERATURE OF THE PAVEMENT, BASE OR BINDER ON WHICH IT IS TO BE PLACED IS 40° F OR LOWER, AS DETERMINED BY THE BOROUGH OR THEIR ENGINEER.



TEMPORARY TRENCH RESTORATION FOR BOROUGH ROADS



PERMANENT TRENCH RESTORATION FOR BOROUGH ROADS

C:/ACAD/TOWNSHIP/CHALFONT/4300-51/TYP\_TRENCH.DWG\*11S

March 2002

CKS

CKS Engineers, Inc.

88 South Main Street, Doylestown, PA 18901  
(215) 340-0600